

PRODUCT DATASHEET

LISOEV 1339x29 60 52W 930 S90U19 GY

LINEAR INDIVILED LIGHT SOURCES DIRECT | Upgrade or replacement light source unit for symmetric light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Symmetric light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	52.00 W
Nominal voltage	45 V
Nominal current	1050.000 mA

Photometrical data

Luminous flux	6050 lm
Luminous efficacy	116 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcm
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	90 °
UGR	19



LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA




LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA

Dimensions & Weight

Length	1339.00 mm
--------	------------

Width	29.00 mm
Height	19.00 mm
Product weight	460.00 g
Cable length	100.000



1 5m DIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA
	LDT file (Eulumdat)	LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA
	UGR file (UGR table)	LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA
	Light distribution curve type cone	LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA
	Light distribution curve type polar	LISOEV 1339X29 60 52W 930 S90U19 GY LEDV 1050mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV DIRECT G2 LISOEV 1500

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854284830	Folding box 1	36 mm x 1,347 mm x 26 mm	590.00 g	1.26 dm ³
4099854284847	Shipping box 10	1,379 mm x 204 mm x 95 mm	6587.00 g	26.73 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DIRECT		ROBERT			
EAN	LSDEV	EAN	LSDEV	EAN	LINEAR Index/ID/WT
				400095183120	C1 100P 40W 100 PLS WT
				400095183200	C1 100P 40W 100 PLS WT
				400095183300	C1 100P 40W 100 CAH WT
				400095183400	C1 100P 40W 100 CA LK WT
400095183430	LSDEV 107403 18 40W 100 30A/31 30	400095183470	LSDEV 103031 20 100 100 30 30	400095183500	C1 100P 40W 100 CAH WT
				400095183600	C1 100P 40W 100 CAH WT
				400095183700	C1 100P 40W 100 CAH WT
				400095183800	C1 100P 40W 100 CAH WT
				400095183900	C1 100P 40W 100 CAH WT
				400095184000	C1 100P 40W 100 CAH WT
				400095184100	C1 100P 40W 100 CAH WT
				400095184200	C1 100P 40W 100 CAH WT
				400095184300	C1 100P 40W 100 CAH WT
				400095184400	C1 100P 40W 100 CAH WT
				400095184500	C1 100P 40W 100 CAH WT
				400095184600	C1 100P 40W 100 CAH WT
				400095184700	C1 100P 40W 100 CAH WT
				400095184800	C1 100P 40W 100 CAH WT
				400095184900	C1 100P 40W 100 CAH WT
				400095185000	C1 100P 40W 100 CAH WT
				400095185100	C1 100P 40W 100 CAH WT
				400095185200	C1 100P 40W 100 CAH WT
				400095185300	C1 100P 40W 100 CAH WT
				400095185400	C1 100P 40W 100 CAH WT
				400095185500	C1 100P 40W 100 CAH WT
				400095185600	C1 100P 40W 100 CAH WT
				400095185700	C1 100P 40W 100 CAH WT
				400095185800	C1 100P 40W 100 CAH WT
				400095185900	C1 100P 40W 100 CAH WT
				400095186000	C1 100P 40W 100 CAH WT
				400095186100	C1 100P 40W 100 CAH WT
				400095186200	C1 100P 40W 100 CAH WT
				400095186300	C1 100P 40W 100 CAH WT
				400095186400	C1 100P 40W 100 CAH WT
				400095186500	C1 100P 40W 100 CAH WT
				400095186600	C1 100P 40W 100 CAH WT
				400095186700	C1 100P 40W 100 CAH WT
				400095186800	C1 100P 40W 100 CAH WT
				400095186900	C1 100P 40W 100 CAH WT
				400095187000	C1 100P 40W 100 CAH WT
				400095187100	C1 100P 40W 100 CAH WT
				400095187200	C1 100P 40W 100 CAH WT
				400095187300	C1 100P 40W 100 CAH WT
				400095187400	C1 100P 40W 100 CAH WT
				400095187500	C1 100P 40W 100 CAH WT
				400095187600	C1 100P 40W 100 CAH WT
				400095187700	C1 100P 40W 100 CAH WT
				400095187800	C1 100P 40W 100 CAH WT
				400095187900	C1 100P 40W 100 CAH WT
				400095188000	C1 100P 40W 100 CAH WT
				400095188100	C1 100P 40W 100 CAH WT
				400095188200	C1 100P 40W 100 CAH WT
				400095188300	C1 100P 40W 100 CAH WT
				400095188400	C1 100P 40W 100 CAH WT
				400095188500	C1 100P 40W 100 CAH WT
				400095188600	C1 100P 40W 100 CAH WT
				400095188700	C1 100P 40W 100 CAH WT
				400095188800	C1 100P 40W 100 CAH WT
				400095188900	C1 100P 40W 100 CAH WT
				400095189000	C1 100P 40W 100 CAH WT
				400095189100	C1 100P 40W 100 CAH WT
				400095189200	C1 100P 40W 100 CAH WT
				400095189300	C1 100P 40W 100 CAH WT
				400095189400	C1 100P 40W 100 CAH WT
				400095189500	C1 100P 40W 100 CAH WT
				400095189600	C1 100P 40W 100 CAH WT
				400095189700	C1 100P 40W 100 CAH WT
				400095189800	C1 100P 40W 100 CAH WT
				400095189900	C1 100P 40W 100 CAH WT
				400095190000	C1 100P 40W 100 CAH WT
				400095190100	C1 100P 40W 100 CAH WT
				400095190200	C1 100P 40W 100 CAH WT
				400095190300	C1 100P 40W 100 CAH WT
				400095190400	C1 100P 40W 100 CAH WT
				400095190500	C1 100P 40W 100 CAH WT
				400095190600	C1 100P 40W 100 CAH WT
				400095190700	C1 100P 40W 100 CAH WT
				400095190800	C1 100P 40W 100 CAH WT
				400095190900	C1 100P 40W 100 CAH WT
				400095191000	C1 100P 40W 100 CAH WT
				400095191100	C1 100P 40W 100 CAH WT
				400095191200	C1 100P 40W 100 CAH WT
				400095191300	C1 100P 40W 100 CAH WT
				400095191400	C1 100P 40W 100 CAH WT
				400095191500	C1 100P 40W 100 CAH WT
				400095191600	C1 100P 40W 100 CAH WT
				400095191700	C1 100P 40W 100 CAH WT
				400095191800	C1 100P 40W 100 CAH WT
				400095191900	C1 100P 40W 100 CAH WT
				400095192000	C1 100P 40W 100 CAH WT
				400095192100	C1 100P 40W 100 CAH WT
				400095192200	C1 100P 40W 100 CAH WT
				400095192300	C1 100P 40W 100 CAH WT
				400095192400	C1 100P 40W 100 CAH WT
				400095192500	C1 100P 40W 100 CAH WT
				400095192600	C1 100P 40W 100 CAH WT
				400095192700	C1 100P 40W 100 CAH WT
				400095192800	C1 100P 40W 100 CAH WT
				400095192900	C1 100P 40W 100 CAH WT
				400095193000	C1 100P 40W 100 CAH WT
				400095193100	C1 100P 40W 100 CAH WT
				400095193200	C1 100P 40W 100 CAH WT
				400095193300	C1 100P 40W 100 CAH WT
				400095193400	C1 100P 40W 100 CAH WT
				400095193500	C1 100P 40W 100 CAH WT
				400095193600	C1 100P 40W 100 CAH WT
				400095193700	C1 100P 40W 100 CAH WT
				400095193800	C1 100P 40W 100 CAH WT
				400095193900	C1 100P 40W 100 CAH WT
				400095194000	C1 100P 40W 100 CAH WT
				400095194100	C1 100P 40W 100 CAH WT
				400095194200	C1 100P 40W 100 CAH WT
				400095194300	C1 100P 40W 100 CAH WT
				400095194400	C1 100P 40W 100 CAH WT
				400095194500	C1 100P 40W 100 CAH WT
				400095194600	C1 100P 40W 100 CAH WT
				400095194700	C1 100P 40W 100 CAH WT
				400095194800	C1 100P 40W 100 CAH WT
				400095194900	C1 100P 40W 100 CAH WT
				400095195000	C1 100P 40W 100 CAH WT
				400095195100	C1 100P 40W 100 CAH WT
				400095195200	C1 100P 40W 100 CAH WT
				400095195300	C1 100P 40W 100 CAH WT
				400095195400	C1 100P 40W 100 CAH WT
				400095195500	C1 100P 40W 100 CAH WT
				400095195600	C1 100P 40W 100 CAH WT
				400095195700	C1 100P 40W 100 CAH WT
				400095195800	C1 100P 40W 100 CAH WT
				400095195900	C1 100P 40W 100 CAH WT
				400095196000	C1 100P 40W 100 CAH WT
				400095196100	C1 100P 40W 100 CAH WT
				400095196200	C1 100P 40W 100 CAH WT
				400095196300	C1 100P 40W 100 CAH WT
				400095196400	C1 100P 40W 100 CAH WT
				400095196500	C1 100P 40W 100 CAH WT
				400095196600	C1 100P 40W 100 CAH WT
				400095196700	C1 100P 40W 100 CAH WT
				400095196800	C1 100P 40W 100 CAH WT
				400095196900	C1 100P 40W 100 CAH WT
				400095197000	C1 100P 40W 100 CAH WT
				400095197100	C1 100P 40W 100 CAH WT
				400095197200	C1 100P 40W 100 CAH WT
				400095197300	C1 100P 40W 100 CAH WT
				400095197400	C1 100P 40W 100 CAH WT
				400095197500	C1 100P 40W 100 CAH WT
				400095197600	C1 100P 40W 100 CAH WT
				400095197700	C1 100P 40W 100 CAH WT
				400095197800	C1 100P 40W 100 CAH WT
				400095197900	C1 100P 40W 100 CAH WT
				400095198000	C1 100P 40W 100 CAH WT
				400095198100	C1 100P 40W 100 CAH WT
				400095198200	C1 100P 40W 100 CAH WT
				400095198300	C1 100P 40W 100 CAH WT
				400095198400	C1 100P 40W 100 CAH WT
				400095198500	C1 100P 40W 100 CAH WT
				400095198600	C1 100P 40W 100 CAH WT
				400095198700	C1 100P 40W 100 CAH WT
				400095198800	C1 100P 40W 100 CAH WT
				400095198900	C1 100P 40W 100 CAH WT
				400095199000	C1 100P 40W 100 CAH WT
				400095199100	C1 100P 40W 100 CAH WT
				400095199200	C1 100P 40W 100 CAH WT
				400095199300	C1 100P 40W 100 CAH WT
				400095199400	C1 100P 40W 100 CAH WT
				400095199500	C1 100P 40W 100 CAH WT
				400095199600	C1 100P 40W 100 CAH WT
				400095199700	C1 100P 40W 100 CAH WT
				400095199800	C1 100P 40W 100 CAH WT
				400095199900	C1 100P 40W 100 CAH WT
				400095200000	C1 100P 40W 100 CAH WT
				400095200100	C1 100P 40W 100 CAH WT
				400095200200	C1 100P 40W 100 CAH WT
				400095200300	C1 100P 40W 100 CAH WT
				400095200400	C1 100P 40W 100 CAH WT
				400095200500	C1 100P 40W 100 CAH WT
				400095200600	C1 100P 40W 100 CAH WT
				400095200700	C1 100P 40W 100 CAH WT
				400095200800	C1 100P 40W 100 CAH WT
				400095200900	C1 100P 40W 100 CAH WT
				400095201000	C1 100P 40W 100 CAH WT
				400095201100	C1 100P 40W 100 CAH WT
				400095201200	C1 100P 40W 100 CAH WT
				400095201300	C1 100P 40W 100 CAH WT
				400095201400	C1 100P 40W 100 CAH WT
				400095201500	C1 100P 40W 100 CAH WT
				400095201600	C1 100P 40W 100 CAH WT
				400095201700	C1 100P 40W 100 CAH WT
				400095201800	C1 100P 40W 100 CAH WT
				400095201900	C1 100P 40W 100 CAH WT
				400095202000	C1 100P 40W 100 CAH WT
				400095202100	C1 100P 40W 100 CAH WT
				400095202200	C1 100P 40W 100 CAH WT
				400095202300	C1 100P 40W 100 CAH WT
				400095202400	C1 100P 40W 100 CAH WT
				400095202500	C1 100P 40W 100 CAH WT
				400095202600	C1 100P 40W 100 CAH WT
				400095202700	C1 100P 40W 100 CAH WT
				400095202800	C1 100P 40W 100 CAH WT
				400095202900	C1 100P 40W 100 CAH WT
				400095203000	C1 100P 40W 100 CAH WT
				400095203100	C1 100P 40W 100 CAH WT
				400095203200	C1 100P 40W 100 CAH WT
				400095203300	C1 100P 40W 100 CAH WT
				400095203400	C1 100P 40W 100 CAH WT
				400095203500	C1 100P 40W 100 CAH WT
				400095203600	C1 100P 40W 100 CAH WT
				400095203700	C1 100P 40W 100 CAH WT
</					

EIN	DIRECT		INDIRECT		EIN	LINEAR INDI-LEVEL	
	EAN	LOREV	EAN	LOREV		EAN	LINEAR INDI-LEVEL
430005450209	US007 107479 45 LOR 100 500 510		430005450478	US007 100031 20 LOR 100 500 510		430005450662	L100 500 400 WLS PLS BK
						430005450763	L100 500 400 WLS PLS BK
						430005450864	L100 500 400 WLS PLS BK
						430005450965	L100 500 400 WLS CA LK BK
						430005451066	L100 500 400 WLS CA LK BK
430005450200	US007 107479 45 LOR 100 500 510		430005450408	US007 100031 24 LOR 100 500 510		430005450660	L100 500 400 WLS CA LK BK
						430005450761	L100 500 400 WLS CA LK BK
						430005450862	L100 500 400 WLS CA LK BK
						430005450963	L100 500 400 WLS CA LK BK
						430005451064	L100 500 400 WLS CA LK BK
430005450210	US007 100031 24 LOR 100 500 510		430005450401	US007 100031 29 LOR 100 510		430005450658	L100 500 400 WLS PLS BK
						430005450759	L100 500 400 WLS PLS BK
						430005450860	L100 500 400 WLS PLS BK
						430005450961	L100 500 400 WLS PLS BK
						430005451062	L100 500 400 WLS PLS BK
430005450218	US007 100031 24 LOR 100 500 510		430005450303	US007 100031 25 LOR 100 510		430005450656	L100 500 400 WLS CA LK BK
						430005450757	L100 500 400 WLS CA LK BK
						430005450858	L100 500 400 WLS CA LK BK
						430005450959	L100 500 400 WLS CA LK BK
						430005451060	L100 500 400 WLS CA LK BK
430005450224	US007 107479 39 LOR 100 450 510		430005450405	US007 100031 26 LOR 100 510		430005450654	L100 500 400 WLS CA LK BK
						430005450755	L100 500 400 WLS CA LK BK
						430005450856	L100 500 400 WLS CA LK BK
						430005450957	L100 500 400 WLS CA LK BK
						430005451058	L100 500 400 WLS CA LK BK

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.