

PRODUCT DATASHEET

LISOEV 1465x31 23 17W 930 S130

LINEAR INDIVIDUAL LIGHT SOURCES INDIRECT | Upgrade or replacement light source unit for indirect, diffuse light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Indirect, diffuse light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	17.00 W
Nominal voltage	45 V
Nominal current	350.000 mA

Photometrical data

Luminous flux	2300 lm
Luminous efficacy	135 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdc _{cm}
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	130 °
UGR	19



LISOEV 1465X31 23 17W 930 S130 LEDV 350mA



LISOEV 1465X31 23 17W 930 S130 LEDV 350mA

Dimensions & Weight

Length	1465.00 mm
--------	------------

Width	31.00 mm
Height	11.00 mm
Product weight	337.00 g
Cable length	100.000



1 5m INDIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
	LDT file (Eulumdat)	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
	Light distribution curve type cone	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
	Light distribution curve type polar	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV INDIRECT G2 LISOEV 1500

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854284991	Folding box 1	36 mm x 1,347 mm x 17 mm	417.00 g	0.82 dm ³
4099854285004	Shipping box 10	1,484 mm x 184 mm x 67 mm	4270.00 g	18.29 dm ³
4099854285011	Shipping box 20	1,594 mm x 204 mm x 158 mm	9450.00 g	51.38 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DIRECT		ROBERT			
EAN	LSDEV	EAN	LSDEV	EAN	LINEAR Index/EWT
				400095183120	LS 100P 40W 18W PLS WT
				400095183200	LS 100P 40W 18W PLS WT
				400095183210	LS 100P 40W 18W CAIRN WT
				400095183220	LS 100P 40W 18W CAIRN WT
				400095183230	LS 100P 40W 18W CAIRN WT
400095183240	LSDEV 100W40 18 100 18W 18W 18W	400095183240	LSDEV 100W40 18 100 18W 18W 18W	400095183240	LS 100P 40W 18W CAIRN WT
				400095183250	LS 100P 40W 18W CAIRN WT
				400095183260	LS 100P 40W 18W CAIRN WT
				400095183270	LS 100P 40W 18W CAIRN WT
				400095183280	LS 100P 40W 18W CAIRN WT
				400095183290	LS 100P 40W 18W CAIRN WT
				400095183300	LS 100P 40W 18W CAIRN WT
				400095183310	LS 100P 40W 18W CAIRN WT
				400095183320	LS 100P 40W 18W CAIRN WT
				400095183330	LS 100P 40W 18W CAIRN WT
				400095183340	LS 100P 40W 18W CAIRN WT
				400095183350	LS 100P 40W 18W CAIRN WT
				400095183360	LS 100P 40W 18W CAIRN WT
				400095183370	LS 100P 40W 18W CAIRN WT
				400095183380	LS 100P 40W 18W CAIRN WT
				400095183390	LS 100P 40W 18W CAIRN WT
				400095183400	LS 100P 40W 18W CAIRN WT
				400095183410	LS 100P 40W 18W CAIRN WT
				400095183420	LS 100P 40W 18W CAIRN WT
				400095183430	LS 100P 40W 18W CAIRN WT
				400095183440	LS 100P 40W 18W CAIRN WT
				400095183450	LS 100P 40W 18W CAIRN WT
				400095183460	LS 100P 40W 18W CAIRN WT
				400095183470	LS 100P 40W 18W CAIRN WT
				400095183480	LS 100P 40W 18W CAIRN WT
				400095183490	LS 100P 40W 18W CAIRN WT
				400095183500	LS 100P 40W 18W CAIRN WT
				400095183510	LS 100P 40W 18W CAIRN WT
				400095183520	LS 100P 40W 18W CAIRN WT
				400095183530	LS 100P 40W 18W CAIRN WT
				400095183540	LS 100P 40W 18W CAIRN WT
				400095183550	LS 100P 40W 18W CAIRN WT
				400095183560	LS 100P 40W 18W CAIRN WT
				400095183570	LS 100P 40W 18W CAIRN WT
				400095183580	LS 100P 40W 18W CAIRN WT
				400095183590	LS 100P 40W 18W CAIRN WT
				400095183600	LS 100P 40W 18W CAIRN WT
				400095183610	LS 100P 40W 18W CAIRN WT
				400095183620	LS 100P 40W 18W CAIRN WT
				400095183630	LS 100P 40W 18W CAIRN WT
				400095183640	LS 100P 40W 18W CAIRN WT
				400095183650	LS 100P 40W 18W CAIRN WT
				400095183660	LS 100P 40W 18W CAIRN WT
				400095183670	LS 100P 40W 18W CAIRN WT
				400095183680	LS 100P 40W 18W CAIRN WT
				400095183690	LS 100P 40W 18W CAIRN WT
				400095183700	LS 100P 40W 18W CAIRN WT
				400095183710	LS 100P 40W 18W CAIRN WT
				400095183720	LS 100P 40W 18W CAIRN WT
				400095183730	LS 100P 40W 18W CAIRN WT
				400095183740	LS 100P 40W 18W CAIRN WT
				400095183750	LS 100P 40W 18W CAIRN WT
				400095183760	LS 100P 40W 18W CAIRN WT
				400095183770	LS 100P 40W 18W CAIRN WT
				400095183780	LS 100P 40W 18W CAIRN WT
				400095183790	LS 100P 40W 18W CAIRN WT
				400095183800	LS 100P 40W 18W CAIRN WT
				400095183810	LS 100P 40W 18W CAIRN WT
				400095183820	LS 100P 40W 18W CAIRN WT
				400095183830	LS 100P 40W 18W CAIRN WT
				400095183840	LS 100P 40W 18W CAIRN WT
				400095183850	LS 100P 40W 18W CAIRN WT
				400095183860	LS 100P 40W 18W CAIRN WT
				400095183870	LS 100P 40W 18W CAIRN WT
				400095183880	LS 100P 40W 18W CAIRN WT
				400095183890	LS 100P 40W 18W CAIRN WT
				400095183900	LS 100P 40W 18W CAIRN WT
				400095183910	LS 100P 40W 18W CAIRN WT
				400095183920	LS 100P 40W 18W CAIRN WT
				400095183930	LS 100P 40W 18W CAIRN WT
				400095183940	LS 100P 40W 18W CAIRN WT
				400095183950	LS 100P 40W 18W CAIRN WT
				400095183960	LS 100P 40W 18W CAIRN WT
				400095183970	LS 100P 40W 18W CAIRN WT
				400095183980	LS 100P 40W 18W CAIRN WT
				400095183990	LS 100P 40W 18W CAIRN WT
				400095184000	LS 100P 40W 18W CAIRN WT
				400095184010	LS 100P 40W 18W CAIRN WT
				400095184020	LS 100P 40W 18W CAIRN WT
				400095184030	LS 100P 40W 18W CAIRN WT
				400095184040	LS 100P 40W 18W CAIRN WT
				400095184050	LS 100P 40W 18W CAIRN WT
				400095184060	LS 100P 40W 18W CAIRN WT
				400095184070	LS 100P 40W 18W CAIRN WT
				400095184080	LS 100P 40W 18W CAIRN WT
				400095184090	LS 100P 40W 18W CAIRN WT
				400095184100	LS 100P 40W 18W CAIRN WT
				400095184110	LS 100P 40W 18W CAIRN WT
				400095184120	LS 100P 40W 18W CAIRN WT
				400095184130	LS 100P 40W 18W CAIRN WT
				400095184140	LS 100P 40W 18W CAIRN WT
				400095184150	LS 100P 40W 18W CAIRN WT
				400095184160	LS 100P 40W 18W CAIRN WT
				400095184170	LS 100P 40W 18W CAIRN WT
				400095184180	LS 100P 40W 18W CAIRN WT
				400095184190	LS 100P 40W 18W CAIRN WT
				400095184200	LS 100P 40W 18W CAIRN WT
				400095184210	LS 100P 40W 18W CAIRN WT
				400095184220	LS 100P 40W 18W CAIRN WT
				400095184230	LS 100P 40W 18W CAIRN WT
				400095184240	LS 100P 40W 18W CAIRN WT
				400095184250	LS 100P 40W 18W CAIRN WT
				400095184260	LS 100P 40W 18W CAIRN WT
				400095184270	LS 100P 40W 18W CAIRN WT
				400095184280	LS 100P 40W 18W CAIRN WT
				400095184290	LS 100P 40W 18W CAIRN WT
				400095184300	LS 100P 40W 18W CAIRN WT
				400095184310	LS 100P 40W 18W CAIRN WT
				400095184320	LS 100P 40W 18W CAIRN WT
				400095184330	LS 100P 40W 18W CAIRN WT
				400095184340	LS 100P 40W 18W CAIRN WT
				400095184350	LS 100P 40W 18W CAIRN WT
				400095184360	LS 100P 40W 18W CAIRN WT
				400095184370	LS 100P 40W 18W CAIRN WT
				400095184380	LS 100P 40W 18W CAIRN WT
				400095184390	LS 100P 40W 18W CAIRN WT
				400095184400	LS 100P 40W 18W CAIRN WT
				400095184410	LS 100P 40W 18W CAIRN WT
				400095184420	LS 100P 40W 18W CAIRN WT
				400095184430	LS 100P 40W 18W CAIRN WT
				400095184440	LS 100P 40W 18W CAIRN WT
				400095184450	LS 100P 40W 18W CAIRN WT
				400095184460	LS 100P 40W 18W CAIRN WT
				400095184470	LS 100P 40W 18W CAIRN WT
				400095184480	LS 100P 40W 18W CAIRN WT
				400095184490	LS 100P 40W 18W CAIRN WT
				400095184500	LS 100P 40W 18W CAIRN WT
				400095184510	LS 100P 40W 18W CAIRN WT
				400095184520	LS 100P 40W 18W CAIRN WT
				400095184530	LS 100P 40W 18W CAIRN WT
				400095184540	LS 100P 40W 18W CAIRN WT
				400095184550	LS 100P 40W 18W CAIRN WT
				400095184560	LS 100P 40W 18W CAIRN WT
				400095184570	LS 100P 40W 18W CAIRN WT
				400095184580	LS 100P 40W 18W CAIRN WT
				400095184590	LS 100P 40W 18W CAIRN WT
				400095184600	LS 100P 40W 18W CAIRN WT
				400095184610	LS 100P 40W 18W CAIRN WT
				400095184620	LS 100P 40W 18W CAIRN WT
				400095184630	LS 100P 40W 18W CAIRN WT
				400095184640	LS 100P 40W 18W CAIRN WT
				400095184650	LS 100P 40W 18W CAIRN WT
				400095184660	LS 100P 40W 18W CAIRN WT
				400095184670	LS 100P 40W 18W CAIRN WT
				400095184680	LS 100P 40W 18W CAIRN WT
				400095184690	LS 100P 40W 18W CAIRN WT
				400095184700	LS 100P 40W 18W CAIRN WT
				400095184710	LS 100P 40W 18W CAIRN WT
				400095184720	LS 100P 40W 18W CAIRN WT
				400095184730	LS 100P 40W 18W CAIRN WT
				400095184740	LS 100P 40W 18W CAIRN WT
				400095184750	LS 100P 40W 18W CAIRN WT
				400095184760	LS 100P 40W 18W CAIRN WT
				400095184770	LS 100P 40W 18W CAIRN WT
				400095184780	LS 100P 40W 18W CAIRN WT
				400095184790	LS 100P 40W 18W CAIRN WT
				400095184800	LS 100P 40W 18W CAIRN WT
				400095184810	LS 100P 40W 18W CAIRN WT
				400095184820	LS 100P 40W 18W CAIRN WT
				400095184830	LS 100P 40W 18W CAIRN WT
				400095184840	LS 100P 40W 18W CAIRN WT
				400095184850	LS 100P 40W 18W CAIRN WT
				400095184860	LS 100P 40W 18W CAIRN WT
				400095184870	LS 100P 40W 18W CAIRN WT
				400095184880	LS 100P 40W 18W CAIRN WT
				400095184890	LS 100P 40W 18W CAIRN WT
				400095184900	LS 100P 40W 18W CAIRN WT
				400095184910	LS 100P 40W 18W CAIRN WT
				400095184920	LS 100P 40W 18W CAIRN WT
				400095184930	LS 100P 40W 18W CAIRN WT
				400095184940	LS 100P 40W 18W CAIRN WT
				400095184950	LS 100P 40W 18W CAIRN WT
				400095184960	LS 100P 40W 18W CAIRN WT
				400095184970	LS 100P 40W 18W CAIRN WT
				400095184980	LS 100P 40W 18W CAIRN WT
				400095184990	LS 100P 40W 18W CAIRN WT
				400095185000	LS 100P 40W 18W CAIRN WT
				400095185010	LS 100P 40W 18W CAIRN WT
				400095185020	LS 100P 40W 18W CAIRN WT
				400095185030	LS 100P 40W 18W CAIRN WT
				400095185040	LS 100P 40W 18W CAIRN WT
				400095185050	LS 100P 40W 18W CAIRN WT
				400095185060	LS 100P 40W 18W CAIRN WT
				400095185070	LS 100P 40W 18W CAIRN WT
				400095185080	LS 100P 40W 18W CAIRN WT
				400095185090	LS 100P 40W 18W CAIRN WT
				400095185100	LS 100P 40W 18W CAIRN WT
				400095185110	LS 100P 40W 18W CAIRN WT
				400095185120	LS 100P 40W 18W CAIRN WT
				400095185130	LS 100P 40W 18W CAIRN WT
				400095185140	LS 100P 40W 18W CAIRN WT
				400095185150	LS 100P 40W 18W CAIRN WT
				400095185160	LS 100P 40W 18W CAIRN WT
				400095185170	LS 100P 40W 18W CAIRN WT
				400095185180	LS 100P 40W 18W CAIRN WT
				400095185190	LS 100P 40W 18W CAIRN WT
				400095185200	LS 100P 40W 18W CAIRN WT
				400095185210	LS 100P 40W 18W CAIRN WT
				400095185220	LS 100

EIN	DIRECT		INDIRECT		EIN	LINEAR INDI-LEVEL	
	EAN	LOREV	EAN	LOREV		EAN	LINEAR INDI-LEVEL
400005400209	US007 107479 45 LOR 100 500 910		400054001678	US007 100031 20 LOR 100 500 910		400005400662	L100 500 400 910 PS BK
						400005400763	L100 500 400 910 PS BK
						400005400864	L100 500 400 910 PS BK
						400005400965	L100 500 400 910 PS BK
						400005401066	L100 500 400 910 PS BK
400005400200	US007 107479 45 LOR 100 500 910		400054001678	US007 100031 20 LOR 100 500 910		400005400662	L100 500 400 910 PS BK
						400005400763	L100 500 400 910 PS BK
						400005400864	L100 500 400 910 PS BK
						400005400965	L100 500 400 910 PS BK
						400005401066	L100 500 400 910 PS BK
400005400210	US007 100031 20 LOR 100 500 910		400054001678	US007 100031 20 LOR 100 500 910		400005400662	L100 500 400 910 PS BK
						400005400763	L100 500 400 910 PS BK
						400005400864	L100 500 400 910 PS BK
						400005400965	L100 500 400 910 PS BK
						400005401066	L100 500 400 910 PS BK
400005400218	US007 100031 20 LOR 100 500 910		400054001678	US007 100031 20 LOR 100 500 910		400005400662	L100 500 400 910 PS BK
						400005400763	L100 500 400 910 PS BK
						400005400864	L100 500 400 910 PS BK
						400005400965	L100 500 400 910 PS BK
						400005401066	L100 500 400 910 PS BK
400005400224	US007 107479 45 LOR 100 500 910		400054001678	US007 100031 20 LOR 100 500 910		400005400662	L100 500 400 910 PS BK
						400005400763	L100 500 400 910 PS BK
						400005400864	L100 500 400 910 PS BK
						400005400965	L100 500 400 910 PS BK
						400005401066	L100 500 400 910 PS BK

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.