


# PRODUCT DATASHEET

## LS AY -PM05/U/17,5X14,5/10/1

MEDIUM PROFILES FOR LED STRIPS | Medium Profiles for LED Strips



---

### Areas of application

- General indoor illumination

---

### Product benefits

- Robust aluminum profile
- Quick and simple installation

## TECHNICAL DATA

### Dimensions & Weight

|                |          |
|----------------|----------|
| Length         | 1000 mm  |
| Width          | 17.2 mm  |
| Height         | 14.5 mm  |
| Product weight | 150.00 g |

### Colors & materials

|               |      |
|---------------|------|
| Product color | Grey |
|---------------|------|

### Temperatures & operating conditions

|                                |              |
|--------------------------------|--------------|
| Ambient temperature range      | -15...+45 °C |
| Temperature range in operation | -15...+45 °C |

### Additional product data

|                |                                                                                                                                                                                                                                                                                                                                                        |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product remark | Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Can be combined with PERFORMANCE PROTECTED Strips including endcap and excluding connectors / Can be combined with VALUE UNPROTECTED Strips / Can be combined with VALUE PROTECTED Strips |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## LOGISTICAL DATA

|                              |              |
|------------------------------|--------------|
| Temperature range at storage | -35...+85 °C |
|------------------------------|--------------|

### Accessories Optional

| Product image                                                                      | Product name      | EAN           |
|------------------------------------------------------------------------------------|-------------------|---------------|
|  | LS AY -PM05/MB    | 4058075277007 |
|  | LS AY -PC/R01/D/1 | 4058075279360 |
|  | LS AY -PM05/EC    | 4058075275867 |
|  | LS AY -PM05/EC/H  | 4058075276529 |

| Product image                                                                    | Product name      | EAN           |
|----------------------------------------------------------------------------------|-------------------|---------------|
|  | LS AY -PC/R01/C/1 | 4058075402256 |

DOWNLOAD DATA

| Documents and certificates                                                       |                                 | Document name |
|----------------------------------------------------------------------------------|---------------------------------|---------------|
|  | Declarations of conformity      |               |
|  | Declarations of conformity UKCA |               |

| Tender texts                                                                     | Document name    |                                                       |
|----------------------------------------------------------------------------------|------------------|-------------------------------------------------------|
|  | Tender documents | Medium Profiles for LED Strips PM05U17 5X14 5 10 1-EN |

LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume    |
|---------------|------------------------------|--------------------------------------|--------------|-----------|
| 4058075279278 | BAG<br>1                     | 1,200 mm x 50 mm x 5 mm              | 151.00 g     | 0.30 dm³  |
| 4058075279285 | Bundle<br>10                 | 500 mm x 55 mm x 50 mm               | 1510.00 g    | 1.38 dm³  |
| 4058075279292 | Shipping box<br>50           | 1,030 mm x 190 mm x 120 mm           | 8089.00 g    | 23.48 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.