

# PRODUCT DATASHEET LS AY PFM -13/SE/P SIL-SEAL

Connectors for RGBW LED Strips | Connectors for RGBW LED Strips



## Areas of application

- General indoor illumination

### **Product benefits**

- Easy installation of connector, no manual wiring required
- Tool-free installation

### **TECHNICAL DATA**

## Dimensions & Weight

Length	15.0 mm
Width	10.0 mm
Height	6.0 mm
Product weight	3.2 g

### Colors & materials

Product color	White
1 Todact Color	Wille

# Temperatures & operating conditions

Ambient temperature range	-20+55 °C

## Certificates & Standards

### LOGISTICAL DATA

Temperature range at storage	-20+80 °C
------------------------------	-----------

## DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	Declarations of conformity	LS AY PFM_SUP_13/SE/P_12/SE/P_SIL-SEAL	
	Tender texts	Document name	
	Telluel texts	Document name	
	Tender documents	Connectors for RGBW LED Strips 13SEP SIL SEAL-EN	

# LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075451261	BAG 4	80 mm x 120 mm x 5 mm	13.80 g	0.05 dm <sup>3</sup>
4058075451278	Shipping box 200	180 mm x 100 mm x 180 mm	769.00 g	3.24 dm <sup>3</sup>
4058075451285	Shipping box 2,000	520 mm x 380 mm x 210 mm	8457.00 g	41.50 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.