

PRODUCT DATASHEET

LB FLEX 1500 BP COVER

LOW BAY FLEX BALL PROOF COVER | Ball proof cover for LOW BAY FLEX luminaires

Areas of application

- Sports halls
- Indoor sports facilities



Product benefits

- Easy installation with 6 included screws


Product features

- Ball-proof cover with increased physical robustness (according to DIN 18032-3 and DIN 57710-13)




TECHNICAL DATA

Photometrical data




LB FLEX BP 1500 P 105W 840 N



LB FLEX BP 1500 P 105W 840 N

Dimensions & Weight

Length	1206 mm
Width	119.0 mm
Height	39 mm
Product weight	1675.00 g



LB FLEX 1500 BALL PROOF COVER

Materials & Colors

Product color	White
RAL Color (most similar)	RAL 9003
Body material	Steel

Application & Mounting

Mounting type	Surface
Mounting location	Luminaire
Replaceable light source	No

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	UI Lowbay Flex
	Declarations of conformity	CE Declaration LB FLEX
Photometric and lighting design files		Document name
	IES file (IES)	LB FLEX BP 1500 P 105W 840 N

Photometric and lighting design files		Document name
	LDT file (Eulumdat)	LB FLEX BP 1500 P 105W 840 N
	UGR file (UGR table)	LB FLEX BP 1500 P 105W 840 N
	Light distribution curve type cone	LB FLEX BP 1500 P 105W 840 N
	Light distribution curve type polar	LB FLEX BP 1500 P 105W 840 N
Tender texts		Document name
	Tender documents	LOW BAY FLEX BALL PROOF COVER 1500 BP COVER-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854177729	Folding box 1	1,214 mm x 137 mm x 25 mm	1896.00 g	4.16 dm ³
4099854177736	Shipping box 3	1,232 mm x 155 mm x 101 mm	6211.00 g	19.29 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.